

**$\Phi \cdot \Phi^2 \tilde{N} \Phi^3 \Phi^4 \Phi \cdot \Phi^\circ \Phi ; \tilde{N} \mp \Phi^\circ \tilde{N} \cdot \tilde{N} \Phi$   
 $\Phi \cdot \Phi \gg \tilde{N} \cdot \Phi \Phi^{1/2} \Phi^{3/4} \Phi^{1/4} \Phi^\circ \tilde{N} \in \Phi^{3/2} \Phi^\circ \Phi^3$   
 $\Phi \text{š} \Phi, \Phi^{1/2} \Phi^3 \Phi, \tilde{N} \cdot \Phi \mu \Phi \zeta \Phi \zeta$**

***ĐŽĐŽĐŽ Đ•Đ<sup>1/2</sup>Ñ,Đ°Đ»***

**$\Phi \text{£} \Phi \text{'} \Phi \gg \Phi, \Phi^{1/2} \Phi, \tilde{N}, \Phi \mu \Phi \gg \tilde{N} \text{€}$   
 $\Phi^\circ \Phi^2 \tilde{N}, \Phi^{3/4} \Phi \zeta \tilde{N} \in \Phi, \Phi^\circ \tilde{N} f \tilde{N} \in \Phi, \Phi^2 \Phi^\circ \tilde{N}, \Phi \mu \Phi \gg \tilde{N} \cdot$   
 $\tilde{N} \tilde{N}, \Phi \mu \Phi^\circ \Phi \mu \tilde{N} \in - \Phi^3 \Phi^{1/2} \Phi \mu \Phi \cdot \Phi \text{'} \Phi^{3/4} 1.5 \Phi^{1/4} \text{ REXANT}$   
**REXANT 160218****

Ñ€ÑƒĐ± 290.00



[Đ°Đ<sup>1/2</sup>Ñ,Đ<sup>3/4</sup>Ñ€Đ<sup>1/4</sup>Đ°Ñ†Đ,Ñ•Đ<sup>3/4</sup>Đ;Ñ€Đ<sup>3/4</sup>Đ°Đ<sup>2</sup>Ñ†Đμ](#)

**ĐœĐ<sup>1/2</sup>ĐμĐ<sup>1/2</sup>Đ,Ñ•ĐζĐ<sup>3/4</sup>Đ°ÑƒĐζĐ°Ñ,ĐμĐ»ĐμĐ<sup>1</sup>: Đ•Ñ%ĐμĐ<sup>1/2</sup>ĐμÑ,Đ<sup>1/4</sup>Đ<sup>1/2</sup>ĐμĐ<sup>1/2</sup>Đ,Đ<sup>1</sup>Đ<sup>3/4</sup>Đ±Ñ•Ñ,Đ<sup>3/4</sup>Đ<sup>1/4</sup>Ñ,Đ<sup>3/4</sup>Đ<sup>2</sup>Đ°Ñ€Đμ.**  
**ĐŸĐ<sup>3/4</sup>Đ¶Đ°Đ»ÑƒĐ<sup>1</sup>Ñ•Ñ,Đ°,Đ<sup>2</sup>Đ<sup>3/4</sup>Đ<sup>1</sup>Đ°Đ,Ñ,Đμ,Ñ†Ñ,Đ<sup>3/4</sup>Đ±Ñ<Đ<sup>3/4</sup>Ñ•Ñ,Đ°Đ<sup>2</sup>Đ,Ñ,ÑœÑ•Đ<sup>2</sup>Đ<sup>3/4</sup>Đμ**  
**Đ<sup>1/4</sup>Đ<sup>1/2</sup>ĐμĐ<sup>1/2</sup>Đ,Đμ.**